Journal of Crystal Growth 134 (1993) 388–391
North-Holland

JOURNAL OF CRYSTAL GROWTH

Author index

Al-Bassam, A.A.I. and A.M. Al-Dhafiri, Crystallographic and optical absorption characterization of CdS_xSe_{1-x} alloys for $0 < x < 1$ 134 (1993) 63
Al-Dhafiri, A.M., see Al-Bassam 134 (1993) 63
Allen, L.H., see Zhou 134 (1993) 167
Anselmo, A., V. Prasad, J. Koziol and K.P. Gupta, Oscillatory convection in low aspect ratio Czochralski melts 134 (1993) 116
Anzai, Y., S. Kimura, T. Sawada, T. Rudolph and K. Shigematsu, Measurement of density, viscosity and surface tension of molten lithium niobate 134 (1993) 227
Anzai, Y., K. Terashima and S. Kimura, Physical properties of molten lithium tetraborate 134 (1993) 235
Aota, J., see Quon 134 (1993) 266

Bauser, E., see Marek 134 (1993) 14
Billia, B., see Jamgotchian 134 (1993) 181
Boutz, M.M.R. and C.F. Woensdregt, Theoretical growth forms of natural garnets 134 (1993) 325
Brion, H.G., C. Mewes, I. Hahn and U. Schäufele, Infrared contrast of inclusions in CdTe 134 (1993) 281

Chehab, S., see Quon 134 (1993) 266
Cheng, V.K.W., A Monte Carlo study of moving steps during crystal growth and dissolution 134 (1993) 369
Chen, H.L., see Quon 134 (1993) 266
Chen Xianqiu, see Xu 130 (1993) 337
Chen, Y.-P., J.D. Reed, S.S. O'Keefe, W.J. Schaff and L.F. Eastman, Fabrication and characterization of InGaAs/GaAs strained quantum wires grown by molecular beam epitaxy 134 (1993) 162
Chew, A., see Smith 134 (1993) 140
Chiu, C.T., see Huang 134 (1993) 29
Chung, S.J., see Park 134 (1993) 43
Cohen, R.M., see Huang 134 (1993) 29

Eastman, L.F., see Chen 134 (1993) 162
Emmerstorfer, B., see Knight 134 (1993) 19
Erdei, S., Growth of oxygen deficiency-free YVO_4 single crystal by top-seeded solution growth technique 134 (1993) 1

Faivre, G., see Mergy 134 (1993) 353
Finsy, R., see Van Drunen 134 (1993) 196
Foks, J. and M. Łuszczek, Effect of temperature and supersaturation on the crystallization of polyethylene adipate from dioxane solutions 134 (1993) 347
Fox, K., see Knight 134 (1993) 19
Franzosi, P., see Leszczynski 134 (1993) 151
Fujii, M., see Iwanaga 134 (1993) 275
Fujii, N., see Kizuki 134 (1993) 35
Fujimura, N., see Lee 134 (1993) 247
Fujita, H., see Nishio 134 (1993) 97

Gadgil, P.N., Optimization of a stagnation point flow reactor design for metalorganic chemical vapor deposition by flow visualization 134 (1993) 302
Geng Xingguo, see Huang 134 (1993) 105
Gillet, M.F. and V. Matolín, Reflection high-energy electron diffraction study of growth and modification of small particle model catalyst: Pd on mica 134 (1993) 75
Glenton, P.A., see Khan 134 (1993) 211
Gortenmulder, T.J., see Mihalik 134 (1993) 342
Grandjean, N. and J. Massies, Epitaxial growth of highly strained $In_xGa_{1-x}As$ on GaAs(001): the role of surface diffusion length 134 (1993) 51
Gupta, K.P., see Anselmo 134 (1993) 116
Guthmann, C., see Mergy 134 (1993) 353

Haggerty, J.S., see Sigalovsky 134 (1993) 313
Hahn, I., see Brion 134 (1993) 281
Hahn, S.R. and J.D. Parsons, Direct growth of $Hg_{1-x}Cd_xTe$ alloys in a cold-wall, annular reactant inlet inverted-vertical organometallic vapor phase epitaxy reactor at 300°C 134 (1993) 90
Han, Z.Y., see Yoon 134 (1993) 240
Hansson, G.V., see Larsson 134 (1993) 203
Hatakeyama, I., see Sugiyama 134 (1993) 255
Hattori, T., see Taguchi 134 (1993) 147
Hayafuji, N., see Kizuki 134 (1993) 35
Hayashi, T., see Miyake 134 (1993) 174
He Chongfan, see Xu 134 (1993) 337
Hendrikx, R.W.A., see Mihalik 134 (1993) 342
Hennessy, J., see Knight 134 (1993) 19

Journal of Crystal Growth 134 (1993) 388–391
North-Holland

JOURNAL OF CRYSTAL GROWTH

Author index

Al-Bassam, A.A.I. and A.M. Al-Dhafiri, Crystallographic and optical absorption characterization of CdS_xSe_{1-x} alloys for $0 < x < 1$ 134 (1993) 63
Al-Dhafiri, A.M., see Al-Bassam 134 (1993) 63
Allen, L.H., see Zhou 134 (1993) 167
Anselmo, A., V. Prasad, J. Koziol and K.P. Gupta, Oscillatory convection in low aspect ratio Czochralski melts 134 (1993) 116
Anzai, Y., S. Kimura, T. Sawada, T. Rudolph and K. Shigematsu, Measurement of density, viscosity and surface tension of molten lithium niobate 134 (1993) 227
Anzai, Y., K. Terashima and S. Kimura, Physical properties of molten lithium tetraborate 134 (1993) 235
Aota, J., see Quon 134 (1993) 266

Bauser, E., see Marek 134 (1993) 14
Billia, B., see Jamgotchian 134 (1993) 181
Boutz, M.M.R. and C.F. Woensdregt, Theoretical growth forms of natural garnets 134 (1993) 325
Brion, H.G., C. Mewes, I. Hahn and U. Schäufele, Infrared contrast of inclusions in CdTe 134 (1993) 281

Chehab, S., see Quon 134 (1993) 266
Cheng, V.K.W., A Monte Carlo study of moving steps during crystal growth and dissolution 134 (1993) 369
Chen, H.L., see Quon 134 (1993) 266
Chen Xianqiu, see Xu 130 (1993) 337
Chen, Y.-P., J.D. Reed, S.S. O'Keefe, W.J. Schaff and L.F. Eastman, Fabrication and characterization of InGaAs/GaAs strained quantum wires grown by molecular beam epitaxy 134 (1993) 162
Chew, A., see Smith 134 (1993) 140
Chiu, C.T., see Huang 134 (1993) 29
Chung, S.J., see Park 134 (1993) 43
Cohen, R.M., see Huang 134 (1993) 29

Eastman, L.F., see Chen 134 (1993) 162
Emmerstorfer, B., see Knight 134 (1993) 19
Erdei, S., Growth of oxygen deficiency-free YVO_4 single crystal by top-seeded solution growth technique 134 (1993) 1

Faivre, G., see Mergy 134 (1993) 353
Finsy, R., see Van Drunen 134 (1993) 196
Foks, J. and M. Łuszczek, Effect of temperature and supersaturation on the crystallization of polyethylene adipate from dioxane solutions 134 (1993) 347
Fox, K., see Knight 134 (1993) 19
Franzosi, P., see Leszczynski 134 (1993) 151
Fujii, M., see Iwanaga 134 (1993) 275
Fujii, N., see Kizuki 134 (1993) 35
Fujimura, N., see Lee 134 (1993) 247
Fujita, H., see Nishio 134 (1993) 97

Gadgil, P.N., Optimization of a stagnation point flow reactor design for metalorganic chemical vapor deposition by flow visualization 134 (1993) 302
Geng Xingguo, see Huang 134 (1993) 105
Gillet, M.F. and V. Matolín, Reflection high-energy electron diffraction study of growth and modification of small particle model catalyst: Pd on mica 134 (1993) 75
Glenton, P.A., see Khan 134 (1993) 211
Gortenmulder, T.J., see Mihalik 134 (1993) 342
Grandjean, N. and J. Massies, Epitaxial growth of highly strained $In_xGa_{1-x}As$ on GaAs(001): the role of surface diffusion length 134 (1993) 51
Gupta, K.P., see Anselmo 134 (1993) 116
Guthmann, C., see Mergy 134 (1993) 353

Haggerty, J.S., see Sigalovsky 134 (1993) 313
Hahn, I., see Brion 134 (1993) 281
Hahn, S.R. and J.D. Parsons, Direct growth of $Hg_{1-x}Cd_xTe$ alloys in a cold-wall, annular reactant inlet inverted-vertical organometallic vapor phase epitaxy reactor at 300°C 134 (1993) 90
Han, Z.Y., see Yoon 134 (1993) 240
Hansson, G.V., see Larsson 134 (1993) 203
Hatakeyama, I., see Sugiyama 134 (1993) 255
Hattori, T., see Taguchi 134 (1993) 147
Hayafuji, N., see Kizuki 134 (1993) 35
Hayashi, T., see Miyake 134 (1993) 174
He Chongfan, see Xu 134 (1993) 337
Hendrikx, R.W.A., see Mihalik 134 (1993) 342
Hennessy, J., see Knight 134 (1993) 19

Hirano, R., T. Kanazawa and S. Katsura, Microdefects in InP crystals grown by the liquid-encapsulated Czochralski method 134 (1993) 81
Huang, K.T., C.T. Chiu, R.M. Cohen and G.B. Stringfellow, InAsBi alloys grown by organometallic vapor phase epitaxy 134 (1993) 29
Huang Weidong, Geng Xingguo and Zhou Yaohe, Primary spacing selection of constrained dendritic growth 134 (1993) 105

Ito, T., see Lee 134 (1993) 247
Itoh, N., see Lee 134 (1993) 247
Iwanaga, H., M. Fujii and S. Takeuchi, Growth model of tetrapod zinc oxide particles 124 (1993) 275
Iwata, H., see Suzuki 134 (1993) 67

Jamgotchian, H., R. Trivedi and B. Billia, Interface dynamics and coupled growth in directional solidification in presence of bubbles 134 (1993) 181
Jones, A.C., see Smith 134 (1993) 140

Kaigawa, R., see Kaito 134 (1993) 157
Kaito, C., S. Kimura, T. Sakamoto, Y. Yoshimura, R. Kaigawa, T. Sakaguchi, Y. Nakayama and Y. Saito, Fullerence crystal prepared by evaporating amorphous carbon rod in inert gas 134 (1993) 157
Kanazawa, T., see Hirano 134 (1993) 81
Kaneno, N., see Kizuki 134 (1993) 35
Katsura, S., see Hirano 134 (1993) 81
Kayzel, F.E., see Mihalik 134 (1993) 342
Khan, S.R., P.O. Whalen and P.A. Glenton, Heterogeneous nucleation of calcium oxalate crystals in the presence of membrane vesicles 134 (1993) 211
Kim-Ngan, N.H., see Mihalik 134 (1993) 342
Kimura, S., see Kaito 134 (1993) 157
Kimura, S., see Anzai 134 (1993) 227
Kimura, S., see Anzai 134 (1993) 235
Kitagawa, S., see Suzuki 134 (1993) 67
Kizuki, H., N. Hayafuji, N. Fujii, N. Kaneno, Y. Mihashi and T. Murotani, Selective metalorganic chemical vapor deposition growth of GaAs on AlGaAs combined with in situ HCl gas etching 134 (1993) 35
Knight, D.G., C.J. Miner, B. Watt, C.M. Wu, K. Fox, B. Emmerstorfer, C. Maritan and J. Hennessy, Optimization of selective area epitaxy for fabrication of circular grating distributed-Bragg-reflector surface-emitting lasers 134 (1993) 19
Kou, S., see Lin 134 (1993) 287
Koziol, J., see Anselmo 134 (1993) 116
Kuriakose, A.K., see Quon 134 (1993) 266

Larsson, M.I. and G.V. Hansson, Method using reflection high-energy electron diffraction intensity to determine the solid solubility limit for boron in silicon and $Si_{1-x}Ge_x$ layers 134 (1993) 203
Lee, Y.K., N. Fujimura, T. Ito and N. Itoh, Epitaxial growth and structural characterization of erbium silicide formed on (100)Si through a solid phase reaction 134 (1993) 247
Leszczynski, M. and P. Franzosi, X-ray diffractometric examinations of GaAs epitaxial layers grown by molecular beam epitaxy at low temperature 134 (1993) 151
Li, H.M., see Yoon 134 (1993) 240
Liao Jingying, see Xu 134 (1993) 337
Lin, M.E., see Zhou 134 (1993) 167
Lin, M.H. and S. Kou, Simultaneous segregation and shape control in crystal pulling with a nonwetted float 134 (1993) 287
Łuszczek, M., see Foks 134 (1993) 347

Ma, Z., see Zhou 134 (1993) 167
Marek, T., H.P. Strunk, H. Weishart and E. Bauser, Microtopology of terrace risers and treads on solution-grown GaAs(001) vicinal surfaces 134 (1993) 14
Maritan, C., see Knight 134 (1993) 19
Massies, J., see Grandjean 134 (1993) 51
Matolín, V., see Gillet 134 (1993) 75
Matugatani, K., see Taguchi 134 (1993) 147
Mellet, R., see Mergy 134 (1993) 353
Mendicino, M.A. and E.G. Seebauer, Detailed in-situ monitoring of film growth: application to $TiSi_2$ chemical vapor deposition 134 (1993) 377
Menovsky, A.A., see Mihalik 134 (1993) 342
Mergy, J., G. Faivre, C. Guthmann and R. Mellet, Quantitative determination of the physical parameters relevant to the thin-film directional solidification of the CBr_2–C_2Cl_6 eutectic alloy 134 (1993) 353
Merkus, H.G., see Van Drunen 134 (1993) 196
Mewes, C., see Brion 134 (1993) 281
Mihalik, M., N.H. Kim-Ngan, F.E. Kayzel, A.A. Menovsky, R.W.A. Hendrikx and T.J. Gortenmulder, Crystal growth and characterization of $U_xCe_{1-x}Ru_2Si_2$ pseudo-ternary system 134 (1993) 342
Mihashi, Y., see Kizuki 134 (1993) 35
Miner, C.J., see Knight 134 (1993) 19
Miyake, H., T. Hayashi and K. Sugiyama, Preparation of $CuGa_xIn_{1-x}S_2$ alloys from In solutions 134 (1993) 174
Morkoç, H., see Zhou 134 (1993) 167
Murotani, T., see Kizuki 134 (1993) 35

Nagao, Y., see Nishimura 134 (1993) 293
Nakayama, Y., see Kaito 134 (1993) 157
Nishimura, K., Y. Nagao and K. Sakai, Low temperature metalorganic vapor phase epitaxy of ZnSe and ZnSSe onto GaAs using tertiarybutylselenol 134 (1993) 293
Nishio, J. and H. Fujita, Ambient gas constituents and segregation of carbon and boron in LEC GaAs single crystals: the role of water in boric oxide encapsulants 134 (1993) 97
Nitsch, K. and M. Rodová, Differential thermal analysis study of lead bromide 134 (1993) 386

O'Keefe, S.S., see Chen 134 (1993) 162

Park, H.M., K.I. Seo and S.J. Chung, Morphology of $Y_3Fe_5O_{12}$ single crystals grown from high temperature solution 134 (1993) 43
Parsons, J.D., see Hahn 134 (1993) 90
Péter, Á., see Polgár 134 (1993) 219
Polgár, K. and Á. Péter, Etching study on beta barium metaborate (β-BaB_2O_4) single crystals 134 (1993) 219
Prasad, V., see Anselmo 134 (1993) 116

Quon, D.H.H., S. Chehab, J. Aota, A.K. Kuriakose, S.S.B. Wang, M.Z. Saghir and H.L. Chen, Float-zone crystal growth of bismuth germanate and numerical simulation 134 (1993) 266

Radhakrishnan, K., see Yoon 134 (1993) 240
Reed, J.D., see Chen 134 (1993) 162
Roberts, J.S., see Smith 134 (1993) 140
Rodová, M., see Nitsch 134 (1993) 386
Rudolph, T., see Anzai 134 (1993) 227
Rushworth, S.A., see Smith 134 (1993) 140

Saghir, M.Z., see Quon 134 (1993) 266
Saito, Y. and T. Yoshikawa, Bamboo-shaped carbon tube filled partially with nickel 134 (1993) 154
Saito, Y., see Kaito 134 (1993) 157
Sakaguchi, T., see Kaito 134 (1993) 157
Sakai, K., see Mishimura 134 (1993) 293
Sakamoto, T., see Kaito 134 (1993) 157
Sasaki, Y., see Suzuki 134 (1993) 67
Sawada, T., see Anzai 134 (1993) 227
Scarlett, B., see Van Drunen 134 (1993) 196
Schaff, W.J., see Chen 134 (1993) 162
Schäufele, U., see Brion 134 (1993) 281
Seebauer, E.G., see Mendicino 134 (1993) 377
Seo, K.I., see Park 134 (1993) 43
Sheeham, J.E., see Sigalovsky 134 (1993) 313
Shen Bingfu, see Xu 134 (1993) 337
Shen, T.C., see Zhou 134 (1993) 167
Shigematsu, K., see Anzai 134 (1993) 227
Sigalovsky, J., J.S. Haggerty and J.E. Sheeham, Growth of spinel single crystal fibers by the laser-heated floating-zone technique and their characterization as high temperature reinforcements 134 (1993) 313
Smith, L.M., S.A. Rushworth, A.C. Jones, J.S. Roberts, A. Chew and D.E. Sykes, Oxygen incorporation in aluminium-based semiconductors grown by metalorganic vapour phase epitaxy 134 (1993) 140
Stringfellow, G.B., see Huang 134 (1993) 29
Strunk, H.P., see Marek 134 (1993) 14
Sugiyama, K., see Miyake 134 (1993) 174
Sugiyama, Y., see Taguchi 134 (1993) 147
Sugiyama, Y., I. Hatakeyama and I. Yokohama, Growth of *a*-axis strontium barium niobate single crystal fibers 134 (1993) 255
Suzuki, S., S. Kitagawa, H. Iwata and Y. Sasaki, Structure and resistivity of heat-treated polycrystalline zinc sulfide prepared by chemical vapor deposition 134 (1993) 67
Sykes, D.E., see Smith 134 (1993) 140

Tacano, M., see Taguchi 134 (1993) 147
Taguchi, T., Y. Takeuchi, K. Matugatani, Y. Ueno, T. Hattori, Y. Sugiyama and M. Tacano, Critical layer thickness of $In_{0.80}Ga_{0.20}As/In_{0.52}Al_{0.48}As$ heterostructures 134 (1993) 147
Takeuchi, S., see Iwanaga 134 (1993) 275
Takeuchi, Y., see Taguchi 134 (1993) 147
Terashima, K., see Anzai 134 (1993) 235
Trivedi, R., see Jamgotchian 134 (1993) 181

Ueno, Y., see Taguchi 134 (1993) 147

Van Drunen, M.A., R. Finsy, H.G. Merkus, B. Scarlett and G.M. van Rosmalen, Measurement of cluster formation in aqueous citric acid solutions by photon correlation spectroscopy 134 (1993) 196
Van Rosmalen, G.M., see Van Drunen 134 (1993) 196

Wang, S.S.B., see Quon 134 (1993) 266
Watt, B., see Knight 134 (1993) 19
Weishart, H., see Marek 134 (1993) 14
Whalen, P.O., see Khan 134 (1993) 211
Woensdregt, C.F., see Boutz 134 (1993) 325
Wu, C.M., see Knight 134 (1993) 19

Xu Xuewu, Liao Jingying, Shen Bingfu, Chen Xianqiu and He Chongfan, Polar habits of the $Bi_{12}SiO_{20}$ crystals grown by the Czochralski method 134 (1993) 337

Yokohama, I., see Sugiyama 134 (1993) 255
Yoon, S.F., H.M. Li, K. Radhakrishnan and Z.Y. Han, Optical characterization of strained $In_xGa_{1-x}As$–$Al_{0.28}Ga_{0.72}As$ heterostructures grown by molecular beam epitaxy 134 (1993) 240
Yoshikawa, T., see Saito 134 (1993) 154
Yoshimura, Y., see Kaito 134 (1993) 157
Zhou, G.L., Z. Ma, M.E. Lin, T.C. Shen, L.H. Allen and H. Morkoç, Low temperature growth of single-crystalline cubic SiC on Si(111) by solid source molecular beam epitaxy 134 (1993) 167
Zhou Yaohe, see Huang 134 (1993) 105

Journal of Crystal Growth 134 (1993) 392–394
North-Holland

JOURNAL OF CRYSTAL GROWTH

Subject index

Alloys
– model of 105
Aluminum
– arsenide 140
– gallium arsenide 140
Apparatus
– for melt growth
– – by Czochralski method
– – – using nonwetted float
– – – – of tin 287
– – by floating zone method
– – – of bismuth germanium oxide 266
– – by laser heated pedestal growth
– – – of strontium barium niobate 255
– for thin film growth
– – by metalorganic molecular beam epitaxy
– – – optimization of, by flow visualization 302
– – by vapor phase epitaxy
– – – through chemical vapor deposition
– – – – of titanium silicide 377
– – – through metalorganic chemical vapor deposition
– – – – of mercury cadmium telluride 90

Barium
– borate, β 219
Bismuth
– germanium oxide 266
– silicon oxide 337

Cadmium
– mercury telluride 90
– sulphoselenide 63
– telluride 281
Calcium
– oxalate hydrate 211
Carbon
– graphitic 154
Cellular growth
– of succinonitrile–acetone alloy 181
Citric acid 196
Computer simulation
– of bismuth germanium oxide 266
– in molecular beam epitaxy, of indium gallium arsenide 51
Constitutional supercooling
– of solid solution 342
Convection 116
Copper
– (gallium indium) sulphide 174

Dendritic growth
– of succinonitrile–acetone alloy 181
– of succinonitrile–ethanol model alloy 105
Device characterization
– diodes 35, 67
– heterojunction 147
– lasers 1, 19
– quantum wells 140, 162
Diffusional control
– of indium gallium arsenide 51
Diodes, see Device characterization

Epitaxy, see Thin film growth
Erbium
– silicide 247
Etching
– chemical 35, 81, 219
Eutectic growth
– of halogenated hydrocarbons 353

Fullerene 157

Gallium
– arsenide 14, 97, 140, 151
Garnets 43, 325

Halogenated hydrocarbons 353
Heterojunction, see Device characterization
Hydrocarbons
– halogenated 353
Hydrodynamics, see Convection

Indium
– aluminum arsenide 147
– arsenide bismuthide 29
– gallium arsenide 51, 147, 162, 240
– gallium arsenide phosphide 19
– phosphide 81

Kinetics
– of growth
– – of polyethylene adipate 347
– – of titanium silicide 377
– – of yttrium iron garnet 43
– – using Monte Carlo method 369
– of interface control
– – of gallium arsenide 35
– of nucleation
– – of calcium oxalate hydrate 211

Lasers, see Device characterization
Lasers, crystals for
– β-barium borate 219
– indium gallium arsenide phosphide 19
– yttrium vanadate 1
Lead
– bromide 386
Lithium
– niobate 227
– tetraborate, molten 235

Magnesium
– aluminate 313
– alumino-silicate garnet 325
Mechanism
– of zinc oxide growth 275
Melt growth technique
– by Bridgman–Stockbarger method
– – of cadmium telluride 281
– – of succinonitrile–acetone 181
– by Czochralski method
– – of bismuth silicon oxide 337
– – of gallium arsenide 97
– – of indium phosphide 81
– – of lithium niobate 227
– – of low aspect-ratio melts 116
– – of tin 287
– – of (uranium cerium) ruthenium silicide 342
– by floating zone method
– – of bismuth germanium oxide 266
– – of magnesium aluminate 313
– by laser heated pedestal growth
– – of strontium barium niobate 255
– by uniaxial solidification
– – of alloy, model 105
– – of halogenated hydrocarbons 353
Mercury
– cadmium telluride 90
Monte Carlo simulation
– of moving steps 369
Morphological stability
– of halogenated hydrocarbons 353
– of polyethylene adipate 347
Morphology
– of silicate garnets 325

Nucleation
– of cadmium oxalate 211
– of citric acid 196
– of zinc oxide tetrapod particles 275
Numbers
– Grashof 116

Palladium 75
Phase diagrams
– of cadmium telluride 281
– of copper (gallium indium) sulphide 174
– of gallium arsenide 14
– of halogenated hydrocarbons 353
– of yttrium vanadate 1
Polyethylene adipate 347
Precursor
– for aluminum arsenide 140
– for indium arsenide bismuthide 29
– for zinc selenide 293

Quantum wells, see Device characterization

Silicon 203
– boron alloy 203
– germanium 203
– germanium boron alloy 203
Solid growth technique
– by recrystallization
– – of erbium silicide 247
Solution growth technique
– by flux method
– – of β-barium borate 219
– – of copper (gallium indium) sulphide 174
– – of yttrium iron garnet 43
– – of yttrium vanadate 1
– by low temperature method
– – of calcium oxalate hydrate in presence of membrane vesicles 211
– by solvent evaporation
– – of polyethylene adipate 347
– by top seeded solution growth
– – of yttrium vanadate 1
Spinel 313
Strontium
– barium niobate 255
Succinonitrile–acetone alloy 181
Succinonitrile–ethanol model alloy 105
Superlattices, multilayers
– of IV compounds 203
– of III–V compounds 240
Surface energy, determination
– of garnets 325
Surface structure
– of garnets 325
– of palladium catalyst 75

Thin film growth
– by liquid phase epitaxy
– – of gallium arsenide 14
– by molecular beam epitaxy
– – of gallium arsenide 151
– – of indium aluminum arsenide 147
– – of indium gallium arsenide 51, 147, 162, 240
– – of palladium 75
– – of silicon 203
– – of silicon germanium 203
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of titanium silicide 377
– – through metalorganic chemical vapor deposition

– – – of aluminum arsenide 140
– – – of aluminum gallium arsenide 140
– – – of gallium arsenide 35, 140
– – – of indium arsenide bismuthide 29
– – – of indium gallium arsenide phosphide 19
– – – of mercury cadmium telluride 90
– – – of titanium dioxide 302
– – – of zinc selenide 293
– – – of zinc sulphoselenide 293
– – – optimization of, by flow visualization 302
Tin 287
Titanium
– dioxide 302
– silicide 377
Twinning
– of zinc oxide 275

Uranium cerium ruthenium silicide 342

Vapor growth technique
– by chemical transport
– – of cadmium sulphoselenide 63
– – of zinc oxide 275
– – of zinc sulphide 67
– by evaporation and condensation
– – of carbon, graphitic 154
– – of fullerene 157
Vapor–liquid–solid growth
– of succinonitrile–acetone alloy 181

Whisker growth
– of carbon, graphitic 154
– of zinc oxide 275

Yttrium
– iron garnet 43
– vanadate 1

Zinc
– oxide 275
– selenide 293
– sulphide 67
– sulphoselenide 293